# Rhythm<sup>®</sup>

## Rhythm Pharmaceuticals to Present at Wells Fargo Healthcare Conference in September

#### August 26, 2024

BOSTON, Aug. 26, 2024 (GLOBE NEWSWIRE) -- Rhythm Pharmaceuticals, Inc. (Nasdaq: RYTM), a commercial-stage biopharmaceutical company focused on transforming the lives of patients and their families living with rare neuroendocrine diseases, today announced that David Meeker, M.D., Chair, President and Chief Executive Officer, will participate in a fireside chat at the upcoming Wells Fargo Healthcare Conference at Encore Boston Harbor on Thursday, September 5, 2024 at 3:45 p.m. ET.

The fireside chat will be webcasted and available under "Events & Presentations" in the Investor Relations section of the Company's website at www.rhythmtx.com. A replay of each webcast will be available on the Rhythm website for 30 days following the presentation.

#### **About Rhythm Pharmaceuticals**

Rhythm is a commercial-stage biopharmaceutical company committed to transforming the lives of patients and their families living with rare neuroendocrine diseases. Rhythm's lead asset, IMCIVREE <sup>®</sup> (setmelanotide), an MC4R agonist designed to treat hyperphagia and severe obesity, is approved by the U.S. Food and Drug Administration (FDA) for chronic weight management in adult and pediatric patients 6 years of age and older with monogenic or syndromic obesity due to pro-opiomelanocortin (POMC), proprotein convertase subtilisin/kexin type 1 (PCSK1) or leptin receptor (LEPR) deficiency confirmed by genetic testing, or patients with a clinical diagnosis of Bardet-Biedl syndrome (BBS). Both the European Commission (EC) and the UK's Medicines & Healthcare Products Regulatory Agency (MHRA) have authorized setmelanotide for the treatment of obesity and the control of hunger associated with genetically confirmed BBS or genetically confirmed loss-of-function biallelic POMC, including PCSK1, deficiency or biallelic LEPR deficiency in adults and children 6 years of age and above. The EC has also authorized setmelanotide for control of hunger and treatment of obesity in children as young as 2 years old, living with BBS or POMC, PCSK1, or LEPR deficiency. Additionally, Rhythm is advancing a broad clinical development program for setmelanotide in other rare diseases, as well as investigational MC4R agonists LB54640 and RM-718, and a preclinical suite of small molecules for the treatment of congenital hyperinsulinism. Rhythm's headquarters is in Boston, MA.

#### **Setmelanotide Indication**

In the United States, setmelanotide is indicated for chronic weight management in adult and pediatric patients 6 years of age and older with monogenic or syndromic obesity due to POMC, PCSK1 or LEPR deficiency as determined by an FDA-approved test demonstrating variants in *POMC*, *PCSK1* or *LEPR* genes that are interpreted as pathogenic, likely pathogenic, or of uncertain significance (VUS) or BBS.

In the European Union, setmelanotide is indicated for the treatment of obesity and the control of hunger associated with genetically confirmed BBS or loss-of-function biallelic POMC, including PCSK1, deficiency or biallelic LEPR deficiency in adults and children 2 years of age and above. In Europe, setmelanotide should be prescribed and supervised by a physician with expertise in obesity with underlying genetic etiology.

#### Limitations of Use

Setmelanotide is not indicated for the treatment of patients with the following conditions as setmelanotide would not be expected to be effective:

- Obesity due to suspected POMC, PCSK1 or LEPR deficiency with POMC, PCSK1 or LEPR variants classified as benign or likely benign.
- Other types of obesity not related to POMC, PCSK1 or LEPR deficiency, or BBS, including obesity associated with other genetic syndromes and general (polygenic) obesity.

#### Contraindication

Prior serious hypersensitivity to setmelanotide or any of the excipients in IMCIVREE. Serious hypersensitivity reactions (e.g., anaphylaxis) have been reported.

#### WARNINGS AND PRECAUTIONS

**Skin Pigmentation and Darkening of Pre-Existing Nevi**: Generalized increased skin pigmentation and darkening of pre-existing nevi have occurred because of its pharmacologic effect. Full body skin examinations prior to initiation and periodically during treatment should be conducted to monitor pre-existing and new pigmentary lesions.

Heart rate and blood pressure monitoring: In Europe, heart rate and blood pressure should be monitored as part of standard clinical practice at each medical visit (at least every 6 months) for patients treated with setmelanotide.

**Disturbance in Sexual Arousal:** Spontaneous penile erections in males and sexual adverse reactions in females have occurred. Patients who have an erection lasting longer than 4 hours should seek emergency medical attention.

**Depression and Suicidal Ideation**: Depression and suicidal ideation have occurred. Patients should be monitored for new onset or worsening depression or suicidal thoughts or behaviors. Consideration should be given to discontinuing setmelanotide if patients experience suicidal thoughts or behaviors, or clinically significant or persistent depression symptoms occur.

**Hypersensitivity Reactions**: Serious hypersensitivity reactions (e.g., anaphylaxis) have been reported. If suspected, advise patients to promptly seek medical attention and discontinue setmelanotide.

**Pediatric Population:** The prescribing physician should periodically assess response to setmelanotide therapy. In growing children, the impact of weight loss on growth and maturation should be evaluated. In Europe, the prescribing physician should monitor growth (height and weight) using age- and sex-appropriate growth curves.

**Risk of Serious Adverse Reactions Due to Benzyl Alcohol Preservative in Neonates and Low Birth Weight Infants:** Setmelanotide is not approved for use in neonates or infants. Serious and fatal adverse reactions including "gasping syndrome" can occur in neonates and low birth weight infants treated with benzyl alcohol-preserved drugs.

#### **ADVERSE REACTIONS**

Most common adverse reactions (incidence ≥20%) included skin hyperpigmentation, injection site reactions, nausea, headache, diarrhea, abdominal pain, vomiting, depression, and spontaneous penile erection.

#### USE IN SPECIFIC POPULATIONS

Lactation: Not recommended when breastfeeding.

To report SUSPECTED ADVERSE REACTIONS, contact Rhythm Pharmaceuticals at +1 (833) 789-6337 or FDA at 1-800-FDA-1088 or <u>www.fda.gov/medwatch</u>. See section 4.8 of the <u>Summary of Product Characteristics</u> for information on reporting suspected adverse reactions in Europe.

### Please see the full U.S. Prescribing Information and EU Summary of Product Characteristics for additional Important Safety Information.

#### **Forward-looking Statements**

This press release contains forward-looking statements within the meaning of the Private Securities Litigation Reform Act of 1995. All statements contained in this press release that do not relate to matters of historical fact should be considered forward-looking statements, including without limitation statements regarding the safety, efficacy, potential benefits of, and clinical design or progress of any of our products or product candidates at any dosage or in any indication, our participation in upcoming events and presentations, and the date, time and content thereof. Statements using words such as "expect", "anticipate", "believe", "may", "will" and similar terms are also forward-looking statements. Such statements are subject to numerous risks and uncertainties, including, but not limited to, our ability to enroll patients in clinical trials, the design and outcome of clinical trials, the ability to achieve or obtain necessary regulatory approvals, risks associated with data analysis and reporting, failure to identify and develop additional product candidates, unfavorable pricing regulations, third-party reimbursement practices or healthcare reform initiatives, risks associated with the laws and regulations governing our international operations and the costs of any related compliance programs, the impact of competition, risks related to product liability lawsuits, inability to maintain collaborations, or the failure of these collaborations, our reliance on third parties, risks relating to intellectual property, our ability to successfully commercialize setmelanotide, our liquidity and expenses, our ability to attract, hire, retain and motivate gualified personnel, including our key employees and consultants, and general economic conditions, and the other important factors discussed under the caption "Risk Factors" in our Quarterly Report on Form 10-Q for the three months ended June 30, 2024 and our other filings with the Securities and Exchange Commission. Except as required by law, we undertake no obligations to make any revisions to the forward-looking statements contained in this release or to update them to reflect events or circumstances occurring after the date of this release, whether as a result of new information, future developments or otherwise.

#### **Corporate Contact:**

David Connolly Head of Investor Relations and Corporate Communications Rhythm Pharmaceuticals, Inc. 857-264-4280 dconnolly@rhythmtx.com

Media Contact: Adam Daley Berry & Company Public Relations 212-253-8881 adaley@berrypr.com



Source: Rhythm Pharmaceuticals, Inc.